



# **Assessment of a Tertiary Hospital's Systems Thinking Approach Using the World Health Organization Health System Framework in Response to the COVID-19 Pandemic in Nigeria**

**C. B. Nwatu** <sup>a,b\*</sup>

<sup>a</sup> *Department of Medicine, University of Nigeria Teaching Hospital, Ituku/Ozalla, Enugu, Enugu State, Nigeria.*

<sup>b</sup> *Department of Medicine, Faculty of Medical Sciences, College of Medicine, University of Nigeria, Ituku/Ozalla Campus, Enugu State, Nigeria.*

## **Author's contribution**

*The sole author designed, analysed, interpreted and prepared the manuscript.*

## **Article Information**

DOI: 10.9734/IJTDH/2023/v44i101433

## **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/101044>

**Original Research Article**

**Received: 02/04/2023**

**Accepted: 04/06/2023**

**Published: 05/06/2023**

## **ABSTRACT**

**Background:** The coronavirus disease 2019, (COVID-19) pandemic dealt a catastrophic blow to health systems globally, especially those of middle and low-income-countries, whose health systems were already frail, pre-pandemic. The World Health Organization (WHO) recognizes six building blocks (BBs) for a sturdy health system, whose synergistic interaction, through a systems thinking approach, guarantees optimal and equitable health outcomes for the populace, while shielding them from financial risk.

**Objectives:** To showcase a Nigerian tertiary hospital's response to the COVID-19 pandemic, through the application of systems thinking, to the WHO health systems BBs.

\*Corresponding author: Email: [chidimma.nwatu@unn.edu.ng](mailto:chidimma.nwatu@unn.edu.ng), [cbrecoli@yahoo.com](mailto:cbrecoli@yahoo.com);

**Methods:** A questionnaire-based survey (utilizing a Likert scale of 1=very poor; 2=poor; 3=fair; 4=good and 5=excellent) of the hospital-wide efforts, employed by the leadership of the University of Nigeria Teaching Hospital (UNTH) Enugu, utilizing the WHO BBs, during the COVID-19 pandemic, assessed the perceived impact of the individual BBs on the hospital system. Eighty key stakeholders (Females=55%), heads of departments and supervisors, comprising various categories of medical personnel, overseeing twenty critical service areas of the hospital undertook the survey.

**Results:** Leadership/Governance ranked highest in impact among the BBs (68.6%), with the availability of Medical products/Technology (65.9%), and Service delivery (64.4%) trailing closely at second and third, respectively. Perceived robustness and overall motivation of the Health Workforce was least ranked at 57.1%, closely followed by Healthcare Financing (58.2%) and Health Information Systems (61.9%).

**Conclusion:** At an average cumulative score of 62.7% for all the BBs, the UNTH leadership may be adjudged to have performed creditably in their efforts at COVID-19 containment. Staff welfare should be enhanced, to ensure a well-motivated staff which will likely translate to improved service delivery.

*Keywords: Health systems; WHO building blocks; systems thinking; COVID-19 pandemic.*

## 1. INTRODUCTION

The SARS-CoV-2, the causative virus of COVID-19 is an enveloped single-stranded RNA virus, belonging to the *Coronavirinae* sub-family of the *Coronaviridae* family of viruses [1], whose primary mode of transmission is via direct or indirect contact of mucosal surfaces with infected respiratory droplets. The median incubation period of the SARS-CoV-2 is about 5.1 days, and 97.5% of infected individuals develop symptoms within 11.5 days [2]. Common clinical symptoms of the COVID-19 include: fever, cough, dyspnea, malaise, fatigue, sputum secretion, headache, sore throat, chest pain, loss of smell and or taste and diarrhea [3,4]. The virus first originated from China in 2019 and quickly spread throughout the world that the WHO declared it a pandemic in March 2020 [5].

The COVID-19 pandemic rattled health systems of countries globally, but more so, those of low and middle-income-countries such as Nigeria, whose health systems were already fragile, pre-pandemic [6]. The relative novelty of the highly transmissible COVID-19 disease, in addition to the wide-spread fear and panic which the illness elicited in populations due to its perceived high mortality at the time, resulted in unprecedented surge of patients to hospitals. This, expectedly, stretched health systems and health facilities to their limits, especially with regards to health care personnel, material and financial resources [7,8]. In view of this, health facilities had to deploy creative, systematic and effective solutions to counteract these daunting challenges, in the face of whole country lockdowns with attendant dire

economic consequences, in several regions of the world.

The WHO health systems framework, which was designed to promote resilience within health systems relies on six elementary components, widely referred to as the health systems building blocks (BBs) to function optimally so as to achieve the expected outcomes, chief of which is improved health of the populace. These BB include – 1. Leadership/Governance; 2. Service delivery; 3. Healthcare workforce; 4. Health Information System; 5. Vaccines, Medical products and Technology; 6. Healthcare Financing [9-11].

*Leadership and Governance* sets the vision and policy direction of the health system and guides effective coalitions between groups, while ensuring the right regulatory practices and overall system accountability through efficient and effective use of resources. Excellent *service delivery* involves availability of safe and accessible quality health care services delivered promptly to all, without discrimination, by qualified health care personnel. A well-qualified, responsive and motivated *health workforce*, deliver optimal and timely health care services, while employing efficient use of resources. An efficient *health information system* gathers, stores, analyses and disseminates vital and accurate health-related and health system information in a timely manner, while illuminating important indices of health system performance and health determinants. Availability and access to high quality *essential medical products, vaccines and technologies* vital for optimal and

efficient health care delivery contributes to a resilient health system. A robust, transparent and accountable *health care financing* system guarantees availability of pooled funds at all times, to enable prompt access to health care services, whenever needed, thereby protecting individuals and families from financial hardship [9-11].

A typical system may be viewed as a perceived whole, consisting of several, relatively independent parts, with each part obligatorily working in synergy with other parts, to produce a common desired outcome or goal. The health system thus, checks all the characteristics of a typical system, including being complex; self-organizing, History dependent, counter-intuitive, constantly changing but resistant to external change, non-linear and governed by feedback [12,13]. Systems thinking therefore, represents a problem-solving approach, where problems are viewed in the context of a holistic system and how deficiency in a single part of the system affects the efficiency and productivity of the whole system [12,13]

Hence, for any category of health facility in a health system, the careful, intentional and synergistic application of these BBs through a systems-thinking approach, will ensure that the goals of the health system, which includes optimal health outcomes for the populace are achieved.

This study hence, intends to evaluate a Nigerian tertiary hospital's leadership response to the COVID-19 pandemic, through the application of systems thinking, to the WHO health systems BBs. This is with a view to prioritizing the concept of systems thinking as a simple but powerful tool which can and should be utilized towards achieving the noble goals set out in the WHO health systems framework.

## 2. MATERIALS AND METHODS

### 2.1 Study Setting and Design

The study is a descriptive, cross-sectional, observational study among heads of departments and supervisors of units, carried out in twenty critical service departments/units of the UNTH Enugu viz – Accident & Emergency; Children Emergency; Intensive care unit; Isolation center; General out-patient department; Oncology unit; Clinical laboratories (Chemical Pathology, Hematology, Microbiology and

pathological anatomy); Radiology; Medical, Surgical and Children out-patient clinics; Eye clinic; Dental clinic; Physiotherapy unit; Theatre units; Labour ward; Pharmacy & compounding unit; General Administration & Accounts department; Procurement & Stores department. Four key stakeholders were drawn from each of the twenty critical service areas giving a total of eighty respondents.

A structured questionnaire previously adapted from the core monitoring indicators of the WHO BBs, pre-tested and applied to a similar population as published by Manyazewal T et al. [14], was adopted for the study. It assessed the hospital-wide efforts using a Likert scale of 1=very poor; 2=poor; 3=fair; 4=good and 5=excellent [15], employed by the leadership of the UNTH Enugu, utilizing the WHO BBs, during the COVID-19 pandemic and evaluated perceived impact of the individual BBs on the hospital system.

### 2.2 Study Criteria

Eighty consenting key stakeholders, comprising various categories of medical and health personnel, overseeing all the twenty critical service areas of the hospital which were all the areas where services were fully maintained during the period of the COVID-19 pandemic (average of four staff from each service area) undertook the survey which was conducted between May and June 2022. Staff involved in the study included Physicians, Dentists, Nurses, Pharmacists, Laboratory Scientists, Administrative officers, Accountants, Environmental health officers and hygienists. All the participants were required to have been employed at the hospital for a minimum of five years so as to ensure they were already working in the hospital a few years prior to the onset of the COVID-19 pandemic, to ensure an evidence-based assessment.

### 2.3 Data Analysis

Descriptive statistics was employed to analyze the data, using IBM SPSS version 20. Each of the elements/indicators assessing a BB was scored, utilizing a Likert scale ranging from 1 to 5, with 1=very poor; 2=poor; 3=fair; 4=good and 5=excellent [15]. Individual scores (ranging from 1 to 5) for each of the monitoring indicators for the BBs were collated from the participants and the average score computed and converted to percentages. Subsequently, the percentage

scores of all the monitoring indicators of each BB was added together and the average score computed to give the final score for each of the BBs.

### 3. RESULTS

#### 3.1 Socio-demographic Characteristics of Respondents

A total of eighty strategic, key stakeholders were involved in the survey and all returned complete data.

The female gender made up 55% (44) of the 80 participants while males constituted 45% (36).

Fifty-one respondents (63.7%) were middle-aged ( $\geq 45$  years), while 29 (36.3%) were  $< 45$  years.

Seventy-three stakeholders (91.2%) had tertiary level education while 8.8% of the respondents had either elementary or secondary level education.

Seventy-one respondents (88.7%) had been employed in the hospital for more than ten years, while 9 (11.3%) had been employed for at least 5 years.

#### 3.2 Synergistic Interactions between the Building Blocks in a Health System

To bring about optimal health outcomes for the populace, individual components of the health system BBs need to function in synergy with other BBs, typically relying on complex feedbacks to achieve this as shown in Fig. 1.

#### 3.3 Evaluation of the Hospital-wide Systems Thinking Approach using the Performance of the BBs

A hospital-wide evaluation of the systems thinking approach using the performance of the BBs was undertaken. Table 1 summarizes the evaluation of the different BBs by the key stakeholders.




Fig. 1. Flow diagram illustrating the synergistic interaction of health systems building blocks through a systems-thinking approach [3]

**Table 1. Perceived performance of the various BBs by the key stakeholders\***

<b>Leadership/Governance</b>	<b>68.6%</b>
New organizational policies and practices	72%
Capacity to assemble & manage resources (human & material)	71.7%
Optimal use of resources	66.3%
Appropriate use of staff working hours	63.5%
Networking with external organizations	69.8%
Level of trust & confidence in leadership capacity	73%
Satisfaction of patients & providers	64%
<b>Health care financing</b>	<b>58.2%</b>
Efficient & effective health financing system	56.5%
Linkage of financial mobilization with evidence-based plan/need	57.8%
Effective budget consumption	60.3%
Innovative financial mobilization window	60.3%
Transparency & accountability	61%
The required financial resources for sustainability	50.8%
Reduced wastage & enhanced cost-effectiveness	60.8%
<b>Health workforce</b>	<b>57.1%</b>
The required no. qualified staff	67%
Job satisfaction	61.3%
Well motivated staff	53.8%
Appropriate and timely feedback	60.3%
Conducive staffrooms	46.5%
Conducive hospital structures	56%
Innovative staff recruitment strategies	55%
<b>Medical products, vaccines &amp; technology</b>	<b>65.9%</b>
Availability of essential drugs & medical supplies	59.5%
Medical apparatus, equipment & devices	60%
Up-to-date technologies for patient diagnosis	62%
New organizational policies & practices	68%
Local & innovative medical products & devices	64%
COVID-19 vaccine availability	78.8%
Networking with external organizations	69%
<b>Health information systems</b>	<b>61.9%</b>
Monitoring and evaluation system	60.8%
Availability & dissemination of updated guidelines & protocols	64%
Easy & prompt reporting system	60.5%
Availability of electronic medical records system	63.5%
Networking with external organizations	66.3%
Data generation for strategic planning	61.3%
Ease of access to data for research	57%
<b>Service delivery</b>	<b>64.4%</b>
Satisfied patients	61%
Prompt services	58.8%
Courtesy & respect to patients	64%
No patient discrimination	68.8%
Comprehensiveness of service	68%
Quality of healthcare	69.5%
Adequate mode of communication suitable to patients	69.5%
Patients' ease of access to healthcare services	62%
Staff satisfaction	58%

\*Cumulative average score for all the BBs = 62.7%

#### 4. DISCUSSION

Systems thinking encompasses a problem-solving approach, where issues are viewed, not as stand-alone problems, but rather, in the context of a holistic system, and how deficiency in a single component of the system affects the efficiency and productivity of the whole system. It encourages a deeper interrogation of the prevailing state of affairs, and views problems from different angles, bearing in mind the interconnectedness of different, apparently independent, parts of a system [16]. Access to efficient and quality health care delivery in Nigeria remains a huge challenge [17], made worse by the demands of the COVID-19 pandemic on the health system. In order to make available, optimal healthcare service delivery to the populace, in addition to ensuring efficient utilization of extremely scarce resources during the COVID-19 pandemic, the leadership of the UNTH Enugu, a tertiary hospital in Nigeria, employed a systems-thinking approach utilizing the health systems BBs as a strategy, to help them contain the COVID-19 pandemic while offering the best care possible for their patients. A similar health system assessment had been undertaken at a larger scale in East Africa as reported by Manyazewal et al. [14], and their findings indicated that the WHO health systems BBs were useful in assessing health systems with a view towards strengthening them. The perceived impact of this hospital-wide systems-thinking approach which was employed by the leadership of the hospital, was assessed by the authors through a feed-back survey involving eighty key system stakeholders from critical clinical, non-clinical and administrative departments of the hospital.

Females were slightly more in number than males at a ratio of 1.2:1, with majority of the respondents expectedly, belonging to the middle-aged category, as the stakeholders were mainly supervisors and heads of various units who would typically have worked in the hospital for a significant number of years.

Nine out of every ten of the key stakeholders had tertiary-level education. This is in keeping with the expected educational attainment demographic of supervisors and heads of units/departments in a tertiary hospital, being a prime referral center for the region. A significant proportion of the stakeholders had worked at the hospital for more than 10 years and as such, could give a good account of the perceived

impact which the systems-thinking approach had made, having been aware of how the hospital had been running, pre-pandemic.

Leadership/Governance was adjudged to have had the most positive impact on the system, at a cumulative score of 68.6%, as staff had a high level of trust and confidence in the leadership of the hospital. In addition, new organizational policies and practices put in place by the leadership were well appreciated by the staff. This is a welcome development as a recent review by Adeloye et. al., suggests a health system governance crisis in Nigeria [18]. However, staff felt that their skills and experience could still be more optimally utilized by the hospital leadership. The above score, though marginally higher, aligns with the findings as reported by Manyazewal et al in Ethiopia [14], although their study involved a wider scope.

The stakeholders were unanimous in their belief that there was inefficient and ineffective healthcare financing mechanism as most of the patients pay out-of-pocket to access healthcare services, a situation which leads to financial hardships and impoverishment [19,20]. In addition, poor budgetary allocations to the health sector by the central government was adjudged to impact negatively on health care service delivery as the country has consistently fallen short of the 15% minimum recommendation of the total federal budget, as allocation to the health sector [21]. However, the respondents believed that the leadership of the hospital, to a reasonable extent, employed transparency and accountability in the management of the hospital's finances.

Regarding availability of medical products, vaccines and technologies, the stakeholders appreciated the efforts of the leadership of the hospital as a wide-array of external collaborations and partnerships were actively sought for the provision of scarce, life-saving medical services, consumables, equipment and devices as the pandemic raged. This was also echoed by Karreinen S, et al. in their recent study among a cross-section of health facility leaders in Finland [22]. Additionally, the hospital leadership envisioned and supported various local initiatives that impacted on the hospital service delivery greatly. For instance, the compounding unit of the Pharmacy department, through support from the hospital management, commenced the production of hand-sanitizers, hypochlorite solutions and liquid soaps and these

were extremely vital in allaying fears and boosting staff morale which were at an all-time low during the pandemic. The Biomedical Engineering department also commenced the production of mobile hand-wash stations which were stationed at strategic points in the hospital, while the clinical services department designed and produced medical face-masks which were systematically distributed to all staff at the peak of the pandemic, in the backdrop of severe world-wide scarcity of these life-saving medical consumables. Once the COVID-19 vaccines became available in the country, the hospital leadership collaborated with external partners to make the vaccines available in the hospital for staff, patients and members of the local community, at no cost. However, the stakeholders believed that more could be done regarding the availability of essential medications and medical supplies.

Quality of healthcare services offered and comprehensiveness of healthcare services, though could be improved upon, were adjudged to be above average by the respondents. The leadership of the hospital were deemed to have been proactive in constructing a 20-bedded temporary COVID-19 isolation facility in record time, as well as evacuating and preparing another hospital ward on stand-by, as soon as the COVID-19 disease was declared a pandemic by the World Health Organization in March 2020 [23].

This particular move by the leadership would later prove to be the master-stroke in the battle to contain the pandemic as the center would go ahead to become the main regional COVID-19 treatment hub, south-east of the country. However, the stakeholders believed that the leadership needed to do much more, so as to improve on staff-related welfare issues and staff motivation as these trailed other BBs. Indeed, healthcare workforce has been singled out as a critical resource for achieving a resilient health system [22].

## 5. CONCLUSION

Overall, at a cumulative average score of 62.7% for all the six BBs, the UNTH leadership may be adjudged to have performed creditably in their efforts at COVID-19 containment, given the limited human and material resources available to them. The application of systems thinking by the leadership of the hospital, to their response

to the COVID-19 pandemic may have contributed in no small measure to the successes recorded.

However, staff welfare should be enhanced and prioritized, so as to ensure a well-motivated staff which will most likely translate to improved service delivery.

## 6. LIMITATIONS

The study involved only key stakeholders who were either heads or supervisors in all the various critical units and departments of the hospital. Ideally, sampling all the staff of these departments may have provided a better perspective.

## CONSENT

Written informed consent was obtained from all the participants.

## ETHICAL APPROVAL

It is not applicable.

## ACKNOWLEDGEMENTS

The authors wish to thank the staff of the UNTH Isolation center for their kind assistance in retrieving relevant materials and questionnaires used in the preparation of this work.

## COMPETING INTERESTS

Author has declared that no competing interests exist.

## REFERENCES

1. Yang Y, Xiao Z, Ye K, He X, Son B, Qin Z, et. al. SARS-CoV-2: Characteristics and current advances in research. *Virology* 2020;17: 117. Available: <https://doi.org/10.1186/s12985-020-01369-z>.
2. Lauer SA, Grantz KH, Bi Q, Jones FK, Zheng Q, Meredith HR et. al. The Incubation Period of Coronavirus Disease 2019 (COVID-19) from Publicly Reported Confirmed Cases: Estimation and Application. *Ann Intern Med* 2020; 172: 577-582. DOI: 10.7326/M20-0504
3. Mesquita RR, Freire de Souza CD, Francelino Silva Junior LC, Santana FMS,

- Oliviera, Alcantara, Arnozo, et al. Clinical Manifestations of COVID-19 in the General Population: Systematic Review. *Wien Klin Wochenschr.* 2021;133(7-8): 377-382.  
DOI: 10.1007/s00508-020-01760-4.
4. Centers for Disease Control and Prevention. Symptoms of COVID-19. Available: <https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html> Assessed 24 May 2023
  5. Cucinotta D, Vanelli M. WHO Declares COVID-19 a Pandemic. *Acta Biomed* 2020;91(1):157-160  
DOI: 10.23750/abm.v91i1.9397.
  6. Mills A. The health systems of low and middle-income countries. In *Oxford Bibliographies in Public Health*. Ed. David McQueen. New York: Oxford University Press; 2020.  
Available: <https://www.oxfordbibliographies.com/>
  7. Haileamlak A. The Impact of COVID-19 on Health and Health Systems. *Ethiop J Health Sci*; 2021. 31(6): 1073-1074.  
DOI: 10.4314/ejhs.v31i6.1
  8. Afolalu OO, Atekoja OE, Oyewumi ZO, Adeyeye SO, Jolayemi KI, Akingbade O. Perceived Impact of Coronavirus Pandemic on Uptake of Healthcare Services in South West Nigeria. *Pan African Medical Journal.* 2021;40:26.  
DOI: 10.11604/pamj.2021.40.26.28279.
  9. Monitoring the Building Blocks of Health Systems: A handbook of Indicators and their Measurement Strategies. Available: <https://apps.who.int/iris/bitstream/handle/10665/258734/9789241564052-eng.pdf>
  10. Mounier-Jack S, Griffiths U, Closser S, Burchett HED, Merchal B. Measuring the health systems impact of disease control programmes: A critical reflection on the WHO building blocks framework. *BMC Public Health* 2014; 14(1): 278.  
DOI: 10.1186/1471-2458-14-278.
  11. Stockton DA, Fowler C, Debono D, Travaglia J. World health organization building blocks in rural community health services: An integrative review. *Health Science Reports* 2021;4(2):e254.  
Available: <https://doi.org/10.1002/hsr2.254>.
  12. Peters DH. The application of systems thinking in health: Why use systems thinking? *Health Res Policy Sys* 2014;12: 51.  
Available: <https://doi.org/10.1186/1478-4505-12-51>.
  13. Don de S and Taghreed A. Alliance for health policy and systems research & world health organization. Don de Savigny and Taghreed Adam (Eds.) *Systems Thinking for Health Systems Strengthening*. World Health Organization; 2009.  
Available: <https://apps.who.int/iris/handle/10665/44204>
  14. Manyazewal T. Using the world health organization health system building blocks through survey of healthcare professionals to determine the performance of public healthcare facilities. *Archives of Public Health.* 2017;75:50.  
DOI: 10.1186/s13690-017-0221-9.
  15. Sullivan GM, Artino, Jr, AR. Analyzing and interpreting data from likert-type scales. *J Grad Med Edu* 2013; 5(4): 541-542.  
DOI: 10.4300/JGME-5-4-18.
  16. McNab D, McKay J, Shorrocks S, Luty S, Bowie PB. Development and Application of Systems Thinking Principles for Quality Improvement. *BMJ Open Quality* 2020;9:e000714.  
DOI: 10.1136/bmjopen-2019-000714.
  17. Amedari MI, Ejidike IC. Improving access, quality and efficiency in health care delivery in Nigeria: A perspective. *PAMJ-One Health.* 2021;5:3.  
DOI: 10.11604/pamj-oh.2021.5.3.28204.
  18. Adedoye D, David RA, Olaogun AA, Auta A, Adesokan A, Gadanya M, et. al. Health Workforce and Governance: The Crisis in Nigeria. *Hum Resour Health* 2017;15:32.  
Available: <https://doi.org/10.1186/s12960-017-0205-4>.
  19. Aregbeshola BS and Khan SM. Out-of-Pocket Payments, Catastrophic Health Expenditure and Poverty among Households in Nigeria 2010. *Int J Health Policy Manag* 2018;7(9): 798-806.  
DOI: 10.15171/ijhpm.2018.19
  20. Onah MN, Govender V. Out-of Pocket Payments, Health Care Access and Utilization in South-Eastern Nigeria: A Gender Perspective. *Plos One.* 2014;9(4): e93887.  
DOI: 10.1371/journal.pone.0093887.
  21. Aregbeshola BS and Folayan MO. Nigeria's financing of health care during the COVID-19 pandemic: Challenges and



- recommendations. *World Med Health Policy*. 2022;14(1):195-204.  
DOI: 10.1002/wmh3.484
22. Karreinen S, Paananen H, Kihlstrom L, Janhonen K, Huhtakangas M, Viita-aho M, Tynkkynen L. Living Through Uncertainty: A Qualitative Study on Leadership and Resilience in Primary Healthcare during COVID-19. *BMC Health Serv Res*. 2023; 23:233.  
DOI: 10.1186/s12913-023-09223-y.
23. Cucinotta D, Vanelli M. WHO Declares COVID-19 a pandemic. *Acta Biomed* 2020;91(1):157-160.  
DOI: 10.23750/abm.v91i1.9397

© 2023 Nwatu; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:*  
<https://www.sdiarticle5.com/review-history/101044>